



PHYSICAL PROPERTIES	UNITS	
Polymer		Polypropylene
Reinforcement		Glass
Fibre Volume	%	35
Fibre Weight	%	60
Width	mm	100
Thickness	mm	0.25
Fibre Areal Weight	g/m ²	240
Total Areal Weight	g/m ²	400
Density	kg/m ³	1480

MECHANICAL PROPERTIES	UNITS	
Tensile Modulus	GPa	28
Tensile Strength	MPa	720
Flexural Modulus	GPa	28
Flexural Strength	MPa	485

The information provided, is to the best of Jonam Composites knowledge accurate and reliable. However the values quoted are for guidance only, and as such will vary with moulding technique, sample preparation and test method. Jonam Composites makes no warranties and assumes no liability in any connection with the use of this information.